



SEQUENCE LISTING

<110> Medical Research Council  
<120> Oligomeric Chaperone Proteins  
<130> 674508-2006  
<140> 10/007,314  
<141> 2001-11-08  
<150> GB 9911298.9  
<151> 1999-05-14  
<150> PCT/GB00/01822  
<151> 2000-05-12  
<150> GB 9930530.2  
<151> 1999-12-23  
<160> 14  
<170> PatentIn version 3.1  
<210> 1  
<211> 33  
<212> DNA  
<213> Artificial sequence  
<220>  
<223> oligonucleotide used to PCR amplify Gp31 gene  
<400> 1  
cttcagacat atgtctgaag tacaacagct acc

33

<210> 2  
<211> 33  
<212> DNA  
<213> Artificial sequence  
<220>  
<223> oligonucleotide used to PCR amplify Gp31 gene  
<400> 2  
taacggccgt tacttataaa gacacggaat agc

33

<210> 3  
<211> 18  
<212> DNA  
<213> Artificial sequence  
<220>  
<223> oligonucleotide used to create a BamH I site  
<400> 3

ggagaaggtc ctgaactg

18

<210> 4  
<211> 21  
<212> DNA  
<213> Artificial sequence

<220>  
<223> oligonucleotide used to create a BamH I site

<400> 4  
ggatccggct tgtgcagggtt c

21

<210> 5  
<211> 28  
<212> DNA  
<213> Artificial sequence

<220>  
<223> oligonucleotide used to amplify the GroEL gene minichaperone

<400> 5  
ttcggatccg aaggatgc a gttcgacc

28

<210> 6  
<211> 28  
<212> DNA  
<213> Artificial sequence

<220>  
<223> oligonucleotide used to amplify the GroEL gene minichaperone

<400> 6  
gttggatcca acgcccgcctg ccagttc

28

<210> 7  
<211> 29  
<212> DNA  
<213> Artificial sequence

<220>  
<223> oligonucleotide used to introduce mutations into the GroEL gene

<400> 7  
tgagtacgat ctgttccagc ggagcttcc

29

<210> 8  
<211> 36  
<212> DNA  
<213> Artificial sequence

<220>

<223> oligonucleotide used to introduce mutations into the GroEL gene

<400> 8

attgcggcga agcgccggct gctgttgcta acaccg

36

<210> 9

<211> 36

<212> DNA

<213> Artificial sequence

<220>

<223> oligonucleotide used to PCR amplify the GroEL gene from E. coli

<400> 9

tagctgccat atggcagcta aagacgtaaa attcgg

36

<210> 10

<211> 36

<212> DNA

<213> Artificial sequence

<220>

<223> oligonucleotide used to PCR amplify the GroEL gene from E. coli

<400> 10

atgtaacggc cgttacatca tgccgccccat gccacc

36

<210> 11

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> oligonucleotide used in site directed mutagenesis using PCR

<400> 11

cggctggatc gttctgaccg

20

<210> 12

<211> 26

<212> DNA

<213> Artificial sequence

<220>

<223> oligonucleotide used in site directed mutagenesis using PCR

<400> 12

gcagatttag tttcaacttc tttagc

26

<210> 13

<211> 16

<212> DNA

<213> Artificial sequence

<220>

<223> oligonucleotide used to remove the DNA sequence encoding the mobile loop of GroES

<400> 13

tccggctctg cagcgg

16

<210> 14

<211> 28

<212> DNA

<213> Artificial sequence

<220>

<223> oligonucleotide used to remove the DNA sequence encoding the mobile loop of GroES

<400> 14

tccagagcca gtttcaactt ctttacgc

28